

Bakfiets.nl
has changed the look of cycling in the Netherlands,
United Kingdom and many other countries. Their concept of carrying children
in a cargo bike was innovative and is now accepted world-wide as an alternative
and green form of transport. For many parents using a Bakfiets.nl Cargobike or
Cargotrike is a liberating and life changing experience especially on the school
run in busy towns and cities where the volume of traffic has become a big
problem. Since the first model, there has been continuing development to enable
you to carry babies, children, dogs, shopping and cargo with ease and in safety.

→ Electric Assist

Almost all CargoBikes and Trikes are available with an electric driven assist motor. This makes cycling more comfortable (lighter and faster). The motor can also be used to assist you while pushing the bike.

The battery can be placed in the rear rack or mounted on the box and is removable.

→ Shimano STEPS

All the Cargobikes and Trikes make use of the Shimano Steps (DU6100). This powerful motor is light and reliable, and is located at the bottom bracket. The motor has a good range and long battery life. The handlebar mounted display is simple to use and has a handlebar mounted toggle switch to change between the functions and power settings. There is even a walk function for pedestrianised areas when dismounted.

Available gear options

Steps is available in combination with different gear options: Shimano Nexus 7 speed with Rollerbrakes, Shimano Di2 5 speed hub with electronic gear changer and the Shimano rollerbrakes Enviolo continuously variable hub gear with rollerbrakes

Nexus 5 speed hub

This hub is specially made for use in cargo bikes combined with a mid-engine. It has a sturdier build so it can withstand more force than a nexus 7 or 8 speed hub (see page 15 for more information).

Di₂

The Di2 version is fully integrated with the motor and by means of electronic control the motor automatically reduces power slightly to enable smooth electronic gear shifting. The system automatically shifts down when coming to a halt therefore you are in the right gear to set off again. Or you can choose to manually select the gears with the toggle switch on the handlebar.

→ Operating Range

Pay attention: for a Cargobike its hard to specify the exact operation range. The operation range can vary between 25 km and 70 km (15 and 50 miles). This depends on the total weight (rider + load) of the Cargobike, the level of assistance choosen from the motor. The terrain to be covered—flat—hilly or mountainous. City or country environments will have a big influence, stopping and starting especially. Its possible to increase the operation range by driving away in a low gear and by making sure that the tires are inflated.

We deliver the bikes standard with a 418Wh battery, optionally there can be choosen for the upgraded 504Wh version, which has a 20% larger operating range.



Toolkit

and support status.





Bakiletsml

CargoBike Classic Short Steps

The Cargobike classic short Steps is a traditional CargoBike with the Shimano Steps motor. The motor is mounted in the bottom bracket. The motor detects rotation, cadence and torque to give you smooth power assistance.



→ Available gear options

Rollerbrakes:

Shimano 5v Mechanical: Shimano 5v Di2:

Shimano 7v:

Disc brakes: Shimano 5v Mechanical: Shimano 5v Di2:

Shimano 7v: Fnviolo

Magura HS11 rim brakes:

Shimano 5v Mechanical: Shimano 5v Di2:

Shimano 7v: Enviolo:

Accessories (See page. 26 to 31)



With an automatic gearshifter you are always in the right gear

NN5

NN7

SS5

SS7

SS5 Di2

NN5 Di2





CargoBike Cruiser Short Steps

A vintage version similar to the CargoBike Classic Steps, but with fat tyres for comfort, broad mudguards in matching frame colour, Brooks Aged leather saddle and handlebar grips, a retro style 35 lux headlight and Plateo rear light.

Dimensions Cargobike short: Length 228cm x width 63cm



→ Available gear options

Rollerbrakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Disc brakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Fnviolo

Magura HS11 rim brakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v: Enviolo:

Accessories (See page. 26 to 31)





NN5

NN7

SS5

SS7

SSi

MM5

MM7

MM5 Di2

NN5 Di2

SS5 Di2





Bakiletsml

CargoBike Classic Long Steps

The Cargobike classic short Steps is a traditional CargoBike with the Shimano Steps motor. The motor is mounted in the bottom bracket. The motor detects rotation, cadence and torque to give you smooth power assistance. Due to the longer box there is more space available for accessories such as the Maxi-Cosi or an extra



→ Available gear options

Rollerbrakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Disc brakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Fnviolo

Magura HS11 rim brakes: Shimano 5v Mechanical:

Shimano 5v Di2: Shimano 7v:

Enviolo:

Accessories (See page. 26 to 31)



NN5

NN7

SS5

SS7

SSi

MM5

MM7

MM5 Di2

SS5 Di2

NN5 Di2





CargoBike Cruiser Long Steps

Similar to the CargoBike Classic Long Steps, but a vintage version with broad mudguards in matching frame colour, Brooks Aged leather saddle and handlebar grips, a retro style 35 lux headlight and Plateo rear light.

Dimensions Cargobike long: Length 253cm x width 63cm Bakfiets.nl

→ Available gear options

Cargobike is shown with a black bok (extra charge).

Rollerbrakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Disc brakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Fnviolo

Magura HS11 rim brakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Enviolo:

Accessories (See page. 26 to 31)





NN5

NN7

SS5

SS7

SSi

MM5

MM7

ммі

MM5 Di2

NN5 Di2

SS5 Di2







Shadow Steps

The Shadow is the top model from Bakfiets.nl. It has an aluminum frame, Shimano Steps mid-engine, aluminum profile box with trampoline fabric. This model is the lightest and stiffest cargobike within our product range due to the aluminium double walled spiderweb tube in the frame. This makes cycling on this cargo bike a natural experience. The hydraulic brakes and strong rims make the Shadow a very stable and safe cargobike. The dimension of the box are equal to the CargoBike Long, so most accessories will



→ Available gear options

Rollerbrakes:

Shimano 5v Mechanical: Shimano 5v Di2:

Shimano 7v: Disc brakes:

Shimano 5v Mechanical: Shimano 5v Di2:

Shimano 7v: Enviolo

Magura HS11 rim brakes:

Shimano 5v Mechanical: Shimano 5v Di2: Shimano 7v:

Enviolo:

→ Accessories (See page. 26 to 31)



MM5 MM5 Di2 MM7









Bakiletsml

CargoTrike Classic Narrow Steps

The trike has more space then the Cargobike. As standard ther is room for four childeren. One of the benefits of the trike is the stability of the bike at lower speeds. Take note that: a lot of people still prefer the Cargobike due to the higher maneuverability of the

Dimensions trike narrow: length 210cm x width 85 cm. Dimensions bottom surface: length 86cm x width 54cm.



→ Available gear options

Rollerbrakes:

Shimano 5v mechanical: Shimano 5v Di2: Shimano 7v:

Disc brakes:

Shimano 5v Di2: Shimano 5v Di2: Shimano 7v: Enviolo:

NN5 Di2 NN7 **SS5** SS5 Di2 **SS7** SSi

NN5









CargoTrike Cruiser Narrow Steps

The Cargotrike narrow cruiser is a trike with a modern "vintage" appearance due to its creme fat tires, retro style 35 lux headlights, Brooks Aged leather saddle and handlebar grips. All Trikes are equipped with a steering stabilizer. This provides stable steering and prevents sudden change of direction when one wheel hits a small pit.

Dimensions trike narrow: length 210cm x width 85 cm. Dimensions bottom surface: length 86cm x width 54cm.



→ Available gear options

Rollerbrakes:

Shimano 5v mechanical: Shimano 5v Di2: Shimano 7v: Disc brakes:


Shimano 5v Di2: Shimano 5v Di2: Shimano 7v: Enviolo:

SS5 SS5 Di2 **SS7** SSi

NN5

NN7

NN5 Di2











CargoTrike Classic Wide Steps

The wide version of the trike has a better road handling due to the bigger distance between the front weels. The bin also has a bigger capacity. There is also standard room for four children.

Dimensions trike wide: length 210cm x width 95 cm. Dimensions bottom surface: length 86 cm x width 65 cm.



→ Available gear options

Rollerbrakes:

Shimano 5v mechanical: Shimano 5v Di2: Shimano 7v: Disc brakes:

Shimano 5v Di2:

Shimano 5v Di2: Shimano 7v: Enviolo:

Hint:

Order your Trike with an extremely good front disc brakes with parking brake.









NN5

NN7

SS5

SS7

SSi

SS5 Di2

NN5 Di2











CargoTrike Cruiser Wide Steps

The Cargotrike wide cruiser is a trike with a modern "vintage" appearance due to its creme fat tires, Brooks Aged leather saddle and handlebar grips and retro style 35 lux headlights. All Trikes are equipped with a steering stabilizer.

Take note off: In the cruiser trikes the battery is mounted in the carrier (this carrier is also compatible with a child seat). Dimensions trike wide: length 210cm x width 95 cm. Dimensions bottom surface: length 86 cm x width 65 cm.



→ Available gear options

Rollerbrakes:

Shimano 5v mechanical: Shimano 5v Di2: Shimano 7v:

Disc brakes:

Shimano 5v Di2: Shimano 5v Di2: Shimano 7v: Enviolo:

SS5 SS5 Di2 **SS7** SSi

NN5

NN7

NN5 Di2









Shimano Nexus 5 especially for E-bikes

Bakfiets.nl has chosen a number of models for the Nexus 5 hub. This hub has been specially developed for use in combination with a mid-engine.

It is built more solidly than an 8-speed hub so that it can withstand more power. This hub is available with a DI2 unit (automatic shifting),

and can often be combined with disc, magura and roller brake brakes

Benefits include:

Shifting lighter (especially when upshifting): The Shimano STEPS system combined with this hub, gives a higher torque of 60Nm





Hubs for E-BIKES equipped with a mid-engine face higher forces compared to hubs for regular bicycles.

The new NEXUS INTER-5E hub can handle these forces, because it is stronger and more durable.


As can be seen on the right, the drive mechanism has a larger bearing loop rings and larger rolling bodies, as compared to the 8 speed hub. This to increase durability and strength.

The internal unit consists of 2 main parts and has 4 planet gears instead of 3, as with the other NEXUS hubs.

This extra planet wheel provides more stability.

This is better from a durability point of view, as the load is now distributed over 4 sprockets instead of 3.

This means that each planet gear is less loaded.





CargoBike Classic Short

The CargoBike Classic Short is most similar to the original model, easy to steer, has a low centre of gravity and a wooden box where children can easily get in and out off. The unique four footed stand gives complete stability to the cargobike while loading and when



→ Available gear options

Shimano 7v:	NN7D
Shimano 8v:	NN8D
Shimano 8v with coaster brake:	NR8D
Discbrakes:	
Shimano 7v:	SS7D
Enviolo:	SSiD

Magura HS11 rim brakes: MM7D Shimano 7v:

Shimano 8v: MM8D MMiD Enviolo:

For the version with electric assistance see page 4 to 5.

Accessories (See page. 26 to 31)









CargoBike Cruiser Short

The CargoBike Cruiser Short is a vintage version of the Classic model with fat tyres for comfort, broad mudguards in matching frame colour, Brooks Aged leather saddle and handlebar grips and a retro style 35 lux headlight and Plateo rear light (both powered by the hub dynamo and with standlight function). There is no rear carrier rack fitted.

Dimensions Cargobike short: Length 253cm x width 63cm



Available gear options

Roll	erbra	kes:
------	-------	------

NN7D Shimano 7v: Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes: Shimano 7v: SS7D

Enviolo: Magura HS11 rim brakes:

MM7D Shimano 7v: Shimano 8v: MM8D MMiD Enviolo:

For the version with electric assistance see page 4 to 5.

Accessories (See page. 26 to 31)





SSiD







CargoBike Classic Long

The CargoBike Classic Long is identical to the Short but with a stretched frame and box. It has the space to carry up to 3 children by adding an extra bench at the front, or 2 children on the rear bench and a baby in a Maxi Cosi or white a woolly baby/toddler seat in the front area. You can also carry a dog with a top cage or add a door in the side of the box for easy entrance. In short, there are a lot of options available.



→ Available gear options

ol	lerbrakes:	

NN7D Shimano 7v: Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes:

Shimano 7v: SS7D SSiD Enviolo:

Magura HS11 rim brakes:

MM7D Shimano 7v: Shimano 8v: MM8D MMiD Enviolo:

For the version with electric assistance see page 6 to 8.

Accessories (See page. 26 to 31)









CargoBike Cruiser Long

The CargoBike Cruiser Long is a vintage version of the Classic model with fat tyres for comfort, broad mudguards in matching frame colour, Brooks Aged leather saddle and handlebar grips and a retro style 35 lux headlight and Plateo rear light (both powered by the hub dynamo and with standlight function). There is no rear



→ Available gear options

Rollerbrakes: Shimano 7v:

NN7D Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes: Shimano 7v: SS7D SSiD Enviolo:

Magura HS11 rim brakes:

Shimano 7v: MM7D Shimano 8v: MM8D MMiD Enviolo:

For the version with electric assistance see page 6 to 8.

Accessories (See page. 26 to 31)











CargoTrike Classic Narrow

The trike has more space then the Cargobike, it also is more stable at lower speeds. There is standard room for four children due to the two included benches. There is also a handy step on top of the mudguards to help them get in and out of the box. As an accessory there is a user friendly canopy and/ or box cover available (in two

Dimensions trike narrow: length 210cm x width 85cm. Dimensions bottom surface: length 86cm x width 54.



→ Available gear options

Rollerbrakes:

NN7D Shimano 7v: Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes:

Shimano 7v: SS7D SSID Enviolo:

Magura brake rear with rollerbrake (front): **NMiD** Enviolo:

→ For the version with electric assistance see page 10 to 11.

Accessories (See page. 26 to 31)









CargoTrike Cruiser Narrow

The CargoTrike Cruiser Narrow is a vintage version of the Classic model with fat tyres for comfort, broad mudguards in matching frame colour, Brooks Aged leather saddle and handlebar grips and a retro style 35 lux headlight and Plateo rear light (both powered by the hub dynamo and with standlight function). There is no rear carrier rack fitted.

Dimensions trike narrow: length 210cm x width 85cm.



→ Available gear options

Rollerbrakes:

NN7D Shimano 7v: Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes:

Shimano 7v: SS7D SSiD Enviolo:

Magura brake rear with rollerbrake (front): NMiD Enviolo:

→ For the version with electric assistance see page 10 to 11.

Accessories (See page. 26 to 31)











CargoTrike Classic Wide

The CargoTrike Classic Wide is similar in length to the Narrow, but is 10cm wider so it offers even more space for freight or children. As an accessory there is a box cover and a wooden cover available. This makes the Cargotrike Wide perfect for transporting luggage.

Dimensions Trike Wide: length 210cm x width 95cm. Dimensions bottom surface: length 86cm x width 65cm.



→ Available gear options

Rollerbrakes:

NN7D Shimano 7v: Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes:

Shimano 7v: SS7D **SSID** Enviolo:

Magura brake rear with rollerbrake (front): **NMiD** Enviolo:

→ For the version with electric assistance see page 12 to 13.

Accessories (See page. 26 to 31)









CargoTrike Cruiser Wide

The CargoTrike Cruiser Wide is a vintage version of the Classic model with fat tyres for comfort, broad mudguards in matching frame colour, Brooks Aged leather saddle and handlebar grips and a retro style 35 lux headlight and Plateo rear light (both powered by the hub dynamo and with standlight function). There is no rear carrier rack fitted.

Dimensions Trike Wide: length 210cm x width 95cm. Dimensions bottom surface: length 86cm x width 65cm.



→ Available gear options

Rollerbrakes:

Enviolo:

NN7D Shimano 7v: Shimano 8v: NN8D NR8D Shimano 8v with coaster brake: Discbrakes: Shimano 7v: SS7D

SSiD Enviolo: Magura brake rear with rollerbrake (front):

Accessories (See page. 26 to 31)





NMiD







Rickshaw

Drivers and passengers can talk to each other comfortably and enjoy the surroundings in peace. The Rickshaw is a fantastic way to explore the city. This electric taxi is equipped with a Shimano Steps mid-engine. This makes it very durable and also much cheaper to use than a car (the battery is charged again for 10 cent!). The extendable footboard ensures that passengers can board safely. The Riksja is standard equipped with thick ventilating cushions. Optionally, the canopy and/or warm foot rug can be ordered. The hood not only provides protection from the sun and canopy, but also gives a cozy look.



Options Rickshaw STEPS

Shimano 5 mechanical with disc brakes Shimano 5 Di2 with disc brakes. Enviolo with discbrakes SSi

SS5 Di2



Optional canopy



Optional foot rug



Optional safety bracket



Cleaner Trike

This Trike is ideal for cleaning companies. Whether you clean outside the roads, paths, parks or squares. With this electric Trike you can cycle everywhere in an instant, and you will have your terrain clean again in no time. The container is easy to take anywhere, and is easily removable. The container is secured with a lashing strap. Please note, the bicycle will be delivered without a

Sizes Cleaner Trike: length 210cm x width 105cm



Daycare Trike

The Daycare trike can transport a maximum of six young children (age +/- 2-6 years). Its also possible to mount a child seat on the back carrier to transport one extra child. Take note that: Older, taller children take more space, meaning less space remains. has standard strong disc brakes, roll bars, two benches in the longitudinal direction and easy front entry for the children.







→ Options Daycare trike

Shimano 5 mechanical with disc brakes. Shimano 5 Di2 with disc brakes. Enviolo with discbrakes

SS5 SS5 Di2

Rail for high weight load:

Options Cleaner trike

Shimano 5 Di2 with disc brakes.

Enviolo with discbrakes

Shimano 5 mechanical with disc brakes.

Heavy loaded trikes can be fitted with a special rail system which also functions as a steering limitation. This special rail system is standard on the Rickshaw and Daycare (this option is only available for the wide versions of the trike)

SS5

SSi


SS5 Di2





Box optionsBelow you will find an overview of all the different box options we offer.

The business version is delivered without benches and seatbelts.



Options & Accessories

- 1 Ventisit cushion single with backrest
- 2 Ventisit cushion double with backrest
- 3 Thick single cushion black
- 4 Headrest
- Maxi-cosi bracket for mounting on bottomMaxi-cosi bracket for mounting on bench
- Black baby seat 0-9 months
- Black toddler seat 9-18 months
- 9 Mounting bracket for baby / toddlerseat
- 10 Bracket for mounting front childseat on box bottom
- 11 Bracket for mounting front child seat on bench
- 12 Lock for canopy
- 13 Renewed Maxi-cosi easy bracket
- 14 Adaptors for Maxi-cosi easy (for mounting the Maxi-cosi easy against the back plate)
- 15 Quick release for Maxi-cosi easy model

Accessories CargoBike Short and Long

- 16 Eyelet for chain / cable lock
- 17 Extra seat on steerer tube
- 18 Sunshade (cargobike long and short)
- 19 Locker under bench redwood colour
- 20 Locker under bench black wood colour
- 21 Foldable canopy supports (CargoBike short)
- 22 Foldable canopy supports (CargoBike long)
- 23 Kickstand with spring function (only available as after market product)


















































Options & Accessories

Accessories CargoBike Short

- 24 Flat box cover CargoBike short: black
- 25 Canopy CargoBike short: black
- 26 Canopy CargoBike short all-open: black
- 27 Canopy CargoBike short all-open: tweed
- 28 Canopy CargoBike short all-open: black matt

Accessories CargoBike Long

- 29 Flat box cover CargoBike long: black
- 30 Flat box cover CargoBike long: tweed
- 31 Canopy CargoBike long: black
- 32 Canopy CargoBike long all-open: black
- 33 Canopy CargoBike long all-open: tweed
- 34 Canopy CargoBike long all-open: admiral blue
- 35 Canopy CargoBike long all-open: matt black 36 Canopy CargoBike long all-open: red
- 37 Canopy CargoBike long all-open: brown
- 38 Canopy CargoBike long all-open: ivory matt
- 39 Ventisit cushion double
- 40 Cushion double: tweed
- 41 Cushion double: admiral blue
- 42 Cushion double: matt black
- 43 Cushion double: red
- 44 Cushion double: brown
- 45 Cushion double: ivory matt
- 46 Door panel in the side of the box (without mounting)
- 47 Dog bench and cage for CargoBike long
- 48 Ventisit floor mat (reduces unwanted noises from the box)
- 49 All-over cover CargoBike long: Black (heavy duty quality) | does not fit with canopy
- 50 Extra bench: redwood colour 51 Extra bench: black
- 52 Reduced bench: black (children can sit lower in the box)
- 53 Flat box cover Shadow: matt black
- 54 Canopy Shadow long all-open: matt black
- 55 All-over cover Shadow: Black (heavy duty quality) | does not fit with canopy

Accessories Trike

- 56 Flat box cover trike: black (fits Narrrow and Wide)
- 57 Canopy Trike Narrow with zipper: black
- 58 Canopy Trike Wide with zipper: black
- 59 Canopy Trike Narrow with zipper: tweed
- 60 Canopy Trike Wide with zipper: tweed
- 61 Canopy Trike Narrow with zipper: black matt
- 62 Canopy Trike Wide with zipper: black matt
- 63 Locker under bench trike (wide trike only (without mounting)
- 64 Box lid with gas damper (wide trike only) (without mounting)
- 65 All-over cover Trike (also fits over rain tent)
- 66 Ventisit floor mat trike wide (reduces unwanted noises from the box)
- 67 Cushion double with backrest
























The best components

Bakfiets.nl only uses the highest quality components available and works with the producers to get the best results, many of these parts are specially designed and made exclusively for us.

Bakiletsınl

Bakiletsml





									1000						- "																															
	Page NN5 (rollerbrake v+a with 5 v hub)	NN5 Di2 (rollerbrake v+a and Di2 with 5 v hub)	NN7 (rollerbrake F+R and 7 speed hub)	NR8 (rol F and coaster R 8 speed hub)	NN8 (rollerbrake F+R and 8 speed hub)	MM5 (Magura hydro F+R and 5v hub)	MM5 Di2 (Magura hydro F+R and Di2 with 5v hub)	MM7 (Magura hydro F+R and 7v hub)	MM8 (Magura hydro F+R and 8v hub)	NMID (Magura Hydro R. with rollerbrake Front and 8v hub)	MMi (Magura hydro F+R and Enviolo hub)	SS5 (DiscbrakeF+R and 5v hub)	SS5 Di2 (DiscbrakeF+R and Di2 with 5v hub)	SS7 (DiscbrakeF+R and 7v hub)	SSi (Magura hydro F+R and Enviolo hub)	Steps electric motor, 418 Wh battery	Option 500Wh battery	Subsection 1970	Selle Royal 8261 saddle	Saddle Drifter black or brown	dle	Quick release on seatpost Quick release on seatpost Suspension seatpost PM Parallel	Long Ergotec seatpost 400mm	le seatpost Fu	Tyre Big Apple crème	Tyre Schwalbe Pick-up black High speed wobble stopper	Handle bar butterfly RVS	Grips Ergo	Grips Brooks Aged	Bell Copper with bakfiets logo	Big Ding/Dong Bell Headlight Nostalgic LED 40 lux	Headlight Power LED 50 lux auto	hts instead of h	Headlight Shiny 120 lux Hubdynamo	Rear light on dynamo with standlight*	s attached to battery	carrier stee	Rear carrier aluminum	Stainless steel mudguards	Mudguards in color of frame	Wishcolor in RAL	Rail for high weight load trike wide	Dress guard (void in combination HS11	Short box wood color (FSC approved)	Long box Black color (FSC approved)	
Classic Short Steps	4 3839	4089	3789	-	-	3995	4245	3945	-	-	4359	4099	4349	4049	4485	v 19	99	,	v 1	5 20	94	10 11	9 30	79	-10	v 19	v	v 6	69	V		v	- 3	80 -	-	٧	v	33	- v	39	150	-	۷۱	v -	1-	929
Cruiser Short Steps	5 3889		_	-					-	-	_	4149	_	_	_	v 19	_		_	79 -74	_	10 11	9 30	79	v 3	39 19	V		v	-	v v	-	- 3	30 -	-	$\overline{}$	49			•	150	-	- \	v -		929
Classic Long Steps	6 3889			-		4045		3995	-	-	_	4149	_		_		99	,	v 1	5 20	94	10 11	9 30	79	-10	v 19	V	v (69	v		V	- 3	30 -	-	V	V	33 -	- v	39	150	-	v	- v		999
Cruiser Long Steps	7 3939	4189	3889	-	-	4095	4345	4045	-	-	4459	4199	4449	4149	4565	v 19	99		- -7	79 -74	v	10 11	9 30	79	v 3	39 19	v		v	-	v v	- 1	- 3	30 -	-	V	49	63 v	, -	v	150	-	-	- v	29	999
Shadow Steps	8 4539	-	_	-	_	4695	4945		-	-	5059	4799	5049	4749	_	v 19	_		- \	v 5	79	v 11	9 v	49	-	v 19	v	v (69	-		- 1	-	v -	-	V	49	- \	, -	V	150	-	-			-
Trike Classic Nar. Steps	10 4289	4539	4239	-	-	-	-	-	-	-	-	4755	4999	4705	5119	v 19	99	,	v 1	5 20	94	10 11	9 30	79	-20	v -	V	v (69	v		v	- 6	30 -	-	V	-		- v	- 1	150	-	V	- -		-
Trike Cruiser Nar. Steps	11 4399	4649	4349	-	-	-	-	-	-	-	-	4865	5115	4815	5229	v 19	99		7	79 -74	v	10 11	9 30	79	v 5	58 -	v		V	-	v v	-	- 6	0 -	-	٧	-		. -	v	150	-	-	- -		-
Trike Classic Wide Steps	12 4339	4589	4289	-	-	-	-	-	-	-	-	4805	5055	4755	5169	v 19	99	,	v 1	5 20	94	10 11	9 30	79	-20	v -	v	v 6	69	v		v	- 6	30 -	-	٧	-		- v	- 1	150	120	V	- -		1199
Trike Cruiser Wide Steps			_	-	-	-	-	-	-	-	-		_		5279	v 1	99		7	79 -74	v	10 11	9 30	79	v 5	58 -	v		· v	-	v v	-	- 6	30 -	-	٧	-		. -7	٧	150	120	-			1199
Classic Short	16 -		1000	2029	2075			2175	2240		2589			2250	2675				, 1	5 20	0.4	10 11	0 20	70	10	y 10		v f	. 60			, ,	10		-		.,	22	1,	39	150		.,		-	929
Cruiser Short	17			2029		-	-	2365		-	2779		_		2865		-			79 -74	94	10 11	9 30	79	-10	30 10	V	v (69	V		V	-19	- V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-	ν 40	63	, V	-	150	-	v \	v -		929
Classic Long	18 -		_		2125	_			2299		2639		_	2309	_		-			5 20	0/1	10 11	30	79	-10	V 10		V 6	V 60	-	V V	-	-19	- /	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_	+5	33	7/	1	150		- \	v -		999
Cruiser Long	19 -		2239		2315	-	\vdash	2415		_	2829				2915		_		_	79 -74	34	10 11	0 30	70	V /	30 10) V	-	, 09	V		V .	-10	- V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_	v 49	63 '	,		150	긤	V	- V		999
Trike Classic Narrow				2479	_		 		_	2939					3329	_	-		_	5 20	94	10 11	9 30	79	-20	V -	V	v 6	69	V		- V	-19	- 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			33 -	- v	-	150		V			1199
Trike Cruiser Narrow			_		2715		\vdash	_		3129					3519	-	-		_	79 -74		10 11				58 -	V	-	\ \v	-	V	, v	-19	- 1	T.		49			_	150		-			1199
Trike Classic Wide			_		2575		\vdash	_	_	2989			-	2965	_	-	-		_	5 20		10 11	9 30	79	-20	v -	V	V 6	69	V		- V	-19	- 1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		V	33 -	- V		150	120	V			1199
Trike Cruiser Wide				2719				_	_	3179	_	_	<u> </u>		3569	-	-		_	79 -74	V	10 11	9 30	79	V 1	58 -	V	-	- V	_	V V	*	-19	- 1	T.		49	63 \	, •		150	_	-	- 1		1199
			_000		00					3173				3.00			4						-	Ť					Ė		·				H										+	
Riksja		-	-	-	-	-	-	-	-	-	-		5489	-	5599		99		_	5 20		v 11	9 30	79	-	v -	V	v (69		v -	V	- 6	0 -	<u> - </u>	٧	-		-		150	٧	-	- -	-	-
Cleaner Trike		-	-	-	-	-	-	-	-	-	-	4749		-	5115	_	99		_	5 20	\blacksquare	v 11	9 30	79	-	V -	٧	v (- 00		٧ -	V	- 6	- 08	<u> - '</u>	٧	-		-	-	150	٧	-	- -	4-	-
Daycare	25 -	-	-	-	-	-	-	-	-	-	-	5429	5679	-	5795	v 1	99	,	v 1	15 20	94	v 11	9 30	79	-	V -	V	v (69	٧		٧	(60 -	<u> </u>	V	-		· V	-	150	٧	٧ -	- -	-	-

Legenda: v = standard on bike, - = not possible option, amount = additional cost for option in holland, *1 = only possible on bike with hub dynamo

→ Custom made

You can customise your CargoBike or CargoTrike with most of the upgrade options shown and see on this chart the compatability with your model.

The best materials

All Bakfiets.nl CargoBikes and CargoTrikes have stainless steel nuts and bolts, handlebar stem, cables and spokes. Aluminum crank set, pedals and super strong double walled rims to give you years of trouble free riding pleasure.

**lead time uncertain

- A Bakfiets.nl Cargobike is made in Hoogeveen (Netherlands)
- Is the safest way to transport your children with a bike according to ADAC Easy to ride and manoeuvre
- Kids can climb safely in the box because of the solid 4 leg stand
- Bakfiets.nl uses FSC approved wood
- The box is made from waterproof Phenolic coated multiplex
- The powder coating is 3 layers both durable and impact resistant
- Stainless steel components are used where possible
- Top quality accessories with upgrade options
- High resale value due to superb build quality

Bakfiets.nl thanks the following suppliers:









































